





for DRAINING



Art. 42160 65lt



Art. 42164 65lt



Art. 42170 50lt



Art. 42215 115lt

Practical and functional equipment for draining antifreeze liquid, by gravity or suction, from all motor vehicles placed on auto lift, floor or pit. With compact structure, wheel-mounted, easy to handle and stable, it features a bowl (capacity 13/14 lt) or tank (capacity 50 lt), provided with screen and/or antispash also used as a drip tray.

Art. 42170 Antifreeze drainer with 50-litre floor tank

📦 N° 1 packing m³ 0,136 📦 kg 18,8

Art. 42160 Antifreeze drainer with wheel-mounted 65-litre tank equipped with level-gauge

📦 N° 2 packing m³ 0,270 📦 kg 33

Art. 42164 Pantograph antifreeze suction/drainer for cars and motorcycles with wheel-mounted 65-litre tank with level-gauge and probe holder with probe ø 12 (art.45540)

📦 N° 4 packing m³ 0,310 📦 kg 42,7

Art. 42215 Pantograph antifreeze suction/drainer for truck with wheel-mounted 115-litre tank with level-gauge and probe holder with probe ø 12 (art.45540)

📦 N° 4 packing m³ 0,520 📦 kg 68,7

Article	42170	42160	42164	42215
Tank capacity	/	65 lt	65 lt	115 lt
Maximum draining capacity	50 lt	52 lt	52 lt	97 lt
Bowl capacity	50 lt	13 lt	14 lt	50 lt
Pressure for vacuum	/	/	max 7 bar	max 7 bar
Depressurization time	/	/	2 min	3-3,5 min
Suction hose	/	/	2 m	2 m
Discharge hose	incorporated	2 m	2 m	2 m
Max. discharge pressure	/	0,5 bar	0,5 bar	0,5 bar

Overall dimensions

Art.42170: for characteristics and dimensions as per art. 42070 see page 107

Art.42160: for characteristics and dimensions as per 42065 see page 102

Art.42164: for characteristics and dimensions as per 46065 see page 134

Art.42215: for characteristics and dimensions as per 46215 see page 138

Important: DO NOT drain brake fluids, fuels or flammable liquids of any kind, corrosive liquids.

for DISTRIBUTION



Art. 33060 Transfer pump 1:1- 23 l/minute

Art. 33094 Transfer pump 1:1- 23 l/minute for 180/220 kg drums

Art. 33160 Transfer pump 1:1- 40 l/minute

Art. 33194 Transfer pump 1:1- 40 l/minute for 180/220 kg drums


Art. 35160 Wall-mounted or modular delivery pump 3:1- 14 l/minute

Art. 35173 Dispenser pump delivery 3:1- 14 l/minute for 50/60 kg drums

Art. 35194 Dispenser pump delivery 3:1- 14 l/minute for 180/220 kg drums

Art. 37690 Oil bar equipped with one tap (art.37692)

Art. 37691 Oil bar equipped with one tap and kit with digital litre-counter (art 37711)



Overall dimensions

Art.33060/94 : for characteristics and dimensions see page 64

Art.33160/94 : for characteristics and dimensions see page 65

Art.35160/73/94: for characteristics and dimensions see page 74

Art.35220/35250/35670: for kit characteristics and dimensions
see pages 76-80-81-83-86

Art.37690/91 : for characteristics and dimensions see page 94

